



Exeter

This profile was produced on 2 June 2015

Local Alcohol Profile 2015

Introduction

Alcohol use has health and social consequences borne by individuals, their families, and the wider community. The aim of these profiles is to provide information for local government, health organisations, commissioners and other agencies to monitor the impact of alcohol on local communities, and to monitor the services and initiatives that have been put in place to prevent and reduce the harmful impact of alcohol.

Reducing harmful drinking is one of seven priority areas that Public Health England is focusing efforts on securing improvement. The indicators contained within the web-tool were selected following consultation with stakeholders and a review of the availability of routine data. The Local Alcohol Profiles for England (LAPE) are part of a series of products by Public Health England that provide local data alongside national comparisons to support local health improvement.

For further information about each indicator please view the definitions tab within the tool at <http://fingertips.phe.org.uk/profile/local-alcohol-profiles>. For further information on alcohol and health please visit <http://www.lape.org.uk>.

Spine Charts

Mortality	Page 2
Hospital Admissions	Page 2
Hospital Admissions - Cause groups	Page 3
Other Impacts	Page 4

Tartan Rugs


Mortality	Page 5
Hospital Admissions	Page 5
Hospital Admissions - Cause groups	Page 6
Other Impacts	Page 8

Bar Charts

Mortality	Page 9
Hospital Admissions	Page 11
Hospital Admissions - Cause groups	Page 13
Other Impacts	Page 16

Trends

Mortality	Page 17
Hospital Admissions	Page 19
Hospital Admissions - Cause groups	Page 21



Contains OS data © Crown copyright and database rights 2015
OpenStreetMap contributors ODbL

Produced by Public Health England.

For enquiries please contact KITNorthWest@phe.gov.uk or call us on 0151 231 4535.

Spine Charts

Mortality

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
1	1.01 - Months of life lost due to alcohol (Male)	2011 - 13	9.2	12.0	6.1	28.0
2	1.01 - Months of life lost due to alcohol (Female)	2011 - 13	5.0	5.6	13.5	2.8
3	2.01 - Alcohol-specific mortality (Persons)	2011 - 13	7.2	11.9	31.2	3.4
4	2.01 - Alcohol-specific mortality (Male)	2011 - 13	11.4	16.6	44.5	3.6
5	2.01 - Alcohol-specific mortality (Female)	2011 - 13	3.4	7.5	29.9	1.6
6	3.01 - Mortality from chronic liver disease (Persons)	2011 - 13	6.8	11.7	31.7	3.3
7	3.01 - Mortality from chronic liver disease (Male)	2011 - 13	10.6	15.5	44.8	2.4
8	3.01 - Mortality from chronic liver disease (Female)	2011 - 13	3.6	8.2	23.7	0.0
9	4.01 - Alcohol-related mortality (Persons)	2013	38.7	45.3	83.6	27.9
10	4.01 - Alcohol-related mortality (Male)	2013	60.8	65.4	117.3	38.5
11	4.01 - Alcohol-related mortality (Female)	2013	20.3	28.4	68.7	14.8


Hospital Admissions

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
12	5.01 - Alcohol-specific hospital admission - under 18s	2011/12 - 13/14	69.0	40.1	105.8	11.2
13	6.01 - Alcohol-specific hospital admission (Persons)	2013/14	510	374	1074	131
14	6.01 - Alcohol-specific hospital admission (Male)	2013/14	717	515	1494	170
15	6.01 - Alcohol-specific hospital admission (Female)	2013/14	320	241	658	77
16	7.01 - Alcohol-related hospital admission (Broad) (Persons)	2013/14	1133	1253	2070	731
17	7.01 - Alcohol-related hospital admission (Broad) (Male)	2013/14	1604	1715	2820	1011
18	7.01 - Alcohol-related hospital admission (Broad) (Female)	2013/14	742	859	1386	498
19	8.01 - Alcohol-related hospital admission (Narrow) (Persons)	2013/14	497	444	808	264
20	8.01 - Alcohol-related hospital admission (Narrow) (Male)	2013/14	690	594	1049	338
21	8.01 - Alcohol-related hospital admission (Narrow) (Female)	2013/14	332	310	583	190
22	9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)	2013/14	1977	2111	3493	1115
23	9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)	2013/14	2759	2917	4848	1582
24	9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)	2013/14	1334	1426	2392	727
25	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)	2013/14	729	645	1231	366

Key

Significance compared to England average:

- Significantly worse
- Significance not tested
- Not significantly different
- ◆ Regional average
- Significantly better



Hospital Admissions continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
26	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)	2013/14	937	835	1538		474
27	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)	2013/14	552	475	940		262


Hospital Admissions - Cause groups

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
28	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)	2013/14	217.8	175.8	368.2	71.4
29	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)	2013/14	170.0	177.0	438.9	63.7
30	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)	2013/14	265.9	176.5	380.5	58.8
31	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)	2013/14	641	1049	1706	550
32	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)	2013/14	980	1524	2575	842
33	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)	2013/14	394	673	1129	307
34	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)	2013/14	563	394	1296	111
35	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)	2013/14	852	579	1894	161
36	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)	2013/14	298	218	706	63
37	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)	2013/14	129.5	105.3	245.6	18.7
38	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)	2013/14	183.0	147.1	351.8	27.1
39	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)	2013/14	78.5	65.8	272.9	16.9
40	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)	2013/14	179.3	150.7	359.9	49.8
41	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)	2013/14	149.7	154.7	404.7	47.8
42	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)	2013/14	209.4	149.3	352.3	39.3
43	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)	2013/14	167.8	141.8	223.9	96.6
44	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)	2013/14	260.0	215.2	351.3	142.5
45	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)	2013/14	86.0	74.2	107.5	49.9
46	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)	2013/14	107	87	222	17
47	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)	2013/14	154	124	310	21

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average



Exeter

Hospital Admissions - Cause groups continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
48	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)	2013/14	61	52	152		10
49	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)	2013/14	80.6	58.6	254.1		11.1
50	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)	2013/14	76.2	52.0	269.1		7.1
51	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)	2013/14	86.0	65.4	239.1		10.1


Other Impacts

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best	
52	11.01 - Claimants of benefits due to alcoholism	2014	147.2	131.0	528.3		15.7

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average



Tartan Rugs

Mortality

Period	England	South West	Bath & NESom	Bournemouth	Bristol	Cheltenham	Christchurch	Cornwall	Cotswold	East Devon	East Dorset	Exeter	Forest Dean	Gloucester	I of Scilly	Mendip	Mid Devon	North Devon	North Dorset	N Somerset	Plymouth	Poole	Purbeck	Sedgemoor	S Gloucs	South Hams	S Somerset	Stroud	Swindon	Taunton D'ne	Teignbridge	Tewkesbury	Torbay	Torrige	West Devon	West Dorset	W Somerset	Weymouth Poirt	Wiltshire	
1 1.01 - Months of life lost due to alcohol (Male)	2011 - 13	12.0	11.5	11.6	16.3	16.1	11.9	10.4	11.0	11.2	9.8	7.2	9.2	11.1	15.1	6.1	11.1	9.1	10.2	8.4	11.5	13.5	11.5	10.7	10.9	8.8	9.9	11.2	9.7	11.7	10.5	10.1	12.1	14.7	12.4	9.9	10.0	13.5	19.3	9.7
2 1.01 - Months of life lost due to alcohol (Female)	2011 - 13	5.6	5.1	4.7	8.0	5.9	6.1	4.8	5.3	4.9	4.6	3.8	5.0	4.8	5.2	1.5	4.6	3.4	6.4	4.6	5.2	5.3	4.0	6.8	5.0	4.2	4.3	5.3	5.5	5.1	3.4	4.7	5.3	5.8	5.6	2.9	4.2	4.6	9.2	4.9
3 2.01 - Alcohol-specific mortality (Persons)	2011 - 13	11.9	11.0	12.5	21.9	16.8	13.0	11.2	10.5	8.4	7.2	6.5	7.2	7.6	13.4	10.2	9.5	7.0	10.3	7.2	11.3	12.9	10.4	9.9	9.3	7.2	8.6	10.7	7.1	9.4	7.9	8.4	11.2	18.4	13.4	7.4	8.1	13.0	20.8	10.4
4 2.01 - Alcohol-specific mortality (Male)	2011 - 13	16.6	15.6	17.9	30.2	26.0	18.0	15.7	14.2	12.3	10.7	9.1	11.4	12.1	19.3	19.4	14.4	10.7	12.2	7.3	16.1	19.4	14.4	8.7	11.3	10.2	10.2	14.1	8.6	13.4	13.5	12.8	16.5	27.9	20.3	11.4	11.1	24.5	27.4	14.3
5 2.01 - Alcohol-specific mortality (Female)	2011 - 13	7.5	6.7	7.9	13.6	7.4	8.1	7.1	7.1	4.7	4.2	4.0	3.4	3.6	7.7	0.0	4.9	3.6	8.5	7.1	6.8	6.7	6.5	11.3	7.3	4.5	7.2	7.4	5.8	5.5	2.7	4.5	6.2	9.7	6.8	4.8	5.2	2.7	14.5	6.7
6 3.01 - Mortality from chronic liver disease (Persons)	2011 - 13	11.7	10.0	10.7	16.3	14.4	11.8	9.5	8.8	10.4	6.7	7.1	6.8	10.9	15.9	- *	8.9	6.3	9.5	6.6	9.0	10.7	11.7	9.7	8.2	8.2	7.6	9.3	10.4	9.7	6.0	9.0	12.6	16.2	9.2	5.0	8.1	12.7	19.6	8.9
7 3.01 - Mortality from chronic liver disease (Male)	2011 - 13	15.5	13.5	15.3	21.0	20.4	18.1	15.1	10.8	12.7	9.9	9.6	10.6	13.6	22.4	- *	12.6	9.9	11.4	6.9	12.4	14.1	16.0	9.8	8.8	11.0	8.8	12.2	15.5	11.1	9.4	11.4	18.1	23.9	10.6	6.4	10.2	21.2	27.8	12.4
8 3.01 - Mortality from chronic liver disease (Female)	2011 - 13	8.2	6.8	6.9	11.8	8.2	6.1	4.2	6.9	8.5	3.9	4.8	3.6	7.9	10.0	- *	5.4	2.9	7.7	6.9	5.9	7.4	7.5	9.9	7.6	5.6	6.5	6.5	6.2	8.0	2.8	6.8	7.5	9.3	7.9	4.8	6.1	5.2	11.8	5.7
9 4.01 - Alcohol-related mortality (Persons)	2013	45.3	43.5	44.1	58.7	55.4	44.9	35.4	41.1	39.3	36.0	33.8	38.7	46.0	40.3	10.3	41.7	37.8	38.4	35.6	43.5	53.3	39.2	46.9	43.9	40.6	36.9	43.6	43.0	49.5	44.9	38.9	45.8	47.7	38.6	37.9	37.1	49.5	65.7	39.8
10 4.01 - Alcohol-related mortality (Male)	2013	65.4	62.3	62.7	80.0	83.5	67.4	49.8	57.1	52.1	50.3	49.4	60.8	67.5	56.6	8.4	62.5	50.4	55.4	50.2	59.5	74.7	51.4	61.0	63.4	54.4	57.9	61.8	60.9	75.3	61.5	60.1	74.2	70.7	49.2	54.8	59.4	91.6	91.7	56.9
11 4.01 - Alcohol-related mortality (Female)	2013	28.4	27.7	28.3	40.0	30.7	26.0	23.2	27.7	29.1	24.5	21.2	20.3	29.2	25.7	11.3	23.8	28.2	24.6	25.6	29.2	34.8	29.9	34.7	26.2	29.5	18.2	28.6	29.2	26.4	31.3	23.4	21.4	28.6	31.4	25.8	18.5	16.1	41.3	25.8

Hospital Admissions

12 5.01 - Alcohol-specific hospital admission - under 18s	2011/12 - 13/14	40.1	47.7	52.1	69.3	35.5	44.2	58.2	52.5	44.4	46.2	45.0	69.0	49.2	56.6	0.0	59.5	32.1	66.8	60.7	31.9	57.5	50.0	63.5	32.1	26.9	23.9	50.9	41.3	58.5	44.9	32.8	21.9	79.1	60.4	43.1	60.3	42.5	43.4	46.4
13 6.01 - Alcohol-specific hospital admission (Persons)	2013/14	374	360	372	456	555	392	283	390	244	326	201	510	235	387	250	288	326	457	239	366	418	311	350	360	359	275	283	276	332	350	313	255	595	369	276	288	312	452	283
14 6.01 - Alcohol-specific hospital admission (Male)	2013/14	515	480	483	614	798	513	375	514	310	422	240	717	335	524	428	358	404	607	283	484	592	408	429	494	466	429	350	338	440	457	439	338	836	457	373	350	435	599	363
15 6.01 - Alcohol-specific hospital admission (Female)	2013/14	241	248	272	296	321	280	202	275	184	238	164	320	137	260	- *	224	252	318	198	256	255	221	277	236	257	134	218	219	226	253	199	180	374	288	183	230	201	309	208

Comparison with respect to England value



Note: * - Disclosure control applied

Exeter

Hospital Admissions continued

Period	England	South West	Bath & NESom	Bournemouth	Bristol	Cheltenham	Christchurch	Cornwall	Cotswold	East Devon	East Dorset	Exeter	Forest Dean	Gloucester	I of Scilly	Mendip	Mid Devon	North Devon	North Dorset	N Somerset	Plymouth	Poole	Purbeck	Sedgemoor	S Gloucs	South Hams	S Somerset	Stroud	Swindon	Taunton Dine	Teignbridge	Tewkesbury	Torbay	Torridge	West Devon	West Dorset	W Somerset	Weymouth Poind	Wiltshire
16 7.01 - Alcohol-related hospital admission (Broad) (Persons)	2013/14 1253	1158	1155	1265	1513	1125	1053	1218	926	866	950	1133	898	1241	912	1139	900	1232	1011	1222	1405	1124	1134	1229	1196	995	1144	944	1245	1181	978	977	1394	1159	976	963	1120	1239	1109
17 7.01 - Alcohol-related hospital admission (Broad) (Male)	2013/14 1715	1578	1572	1745	2093	1568	1502	1650	1274	1183	1307	1604	1272	1716	1394	1560	1188	1656	1358	1630	1919	1530	1545	1690	1622	1432	1525	1247	1664	1621	1368	1359	1914	1546	1340	1288	1557	1683	1488
18 7.01 - Alcohol-related hospital admission (Broad) (Female)	2013/14 859	797	804	833	1005	753	681	846	638	592	647	742	568	835	419	779	648	871	714	876	959	779	777	831	827	611	814	692	880	811	648	656	942	824	655	689	755	841	784
19 8.01 - Alcohol-related hospital admission (Narrow) (Persons)	2013/14 444	422	431	447	538	419	349	460	344	401	320	497	334	460	258	413	418	464	369	437	480	395	404	422	369	381	411	365	401	409	394	359	529	454	393	355	401	464	391
20 8.01 - Alcohol-related hospital admission (Narrow) (Male)	2013/14 594	550	539	601	732	529	475	602	435	509	422	690	467	599	398	520	535	598	501	571	644	525	504	553	466	539	503	423	520	525	528	463	682	564	502	442	523	595	511
21 8.01 - Alcohol-related hospital admission (Narrow) (Female)	2013/14 310	308	338	301	360	324	240	336	269	304	228	332	210	337	128	321	316	348	249	318	332	278	317	306	282	238	330	319	293	310	277	269	394	357	298	282	297	344	285
22 9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)	2013/14 2111	1939	1844	2461	2487	1943	2181	1994	1536	1510	1657	1977	1475	2200	1606	1793	1615	2153	1530	2054	2290	1934	1854	2089	1891	1692	1938	1628	2069	1993	1762	1672	2349	2109	1676	1401	1854	1889	1748
23 9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)	2013/14 2917	2649	2544	3471	3492	2649	3026	2722	2056	1940	2376	2759	2047	3027	2503	2432	2081	2960	2079	2772	3100	2699	2627	2898	2581	2417	2568	2094	2664	2739	2443	2226	3229	2857	2303	1910	2500	2584	2383
24 9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)	2013/14 1426	1333	1258	1564	1605	1367	1504	1368	1111	1150	1050	1334	974	1501	758	1255	1208	1471	1073	1448	1590	1289	1195	1392	1297	1064	1406	1258	1563	1368	1190	1221	1585	1465	1128	978	1330	1273	1202
25 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)	2013/14 645	625	587	671	774	702	585	678	566	606	438	729	530	807	561	565	622	698	466	626	665	542	544	645	519	589	670	646	600	612	618	601	858	691	580	475	599	578	539
26 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)	2013/14 835	780	745	851	1036	793	723	866	684	687	571	937	673	1003	972	678	760	864	611	771	835	724	719	826	629	771	774	677	711	725	789	662	1102	848	719	584	705	727	690
27 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)	2013/14 475	488	451	498	530	628	471	510	471	536	318	552	394	637	197	468	499	554	338	498	510	376	389	484	421	428	583	631	504	517	467	554	642	549	457	385	509	441	403

Hospital Admissions - Cause groups

28 9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)	2013/14 175.8	188.8	138.2	195.5	191.3	260.0	229.4	178.3	229.7	235.6	129.6	217.8	164.0	238.5	338.7	161.8	224.4	190.9	93.8	160.0	172.4	105.0	124.1	186.7	163.3	208.8	273.7	231.4	313.8	199.2	194.3	207.2	277.9	184.9	172.2	118.3	222.8	78.6	168.7
29 9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)	2013/14 177.0	185.1	166.6	179.7	201.6	230.3	260.6	191.1	245.4	195.3	142.5	170.0	136.4	227.9	626.3	190.2	206.7	163.4	98.0	126.6	175.5	127.5	179.0	209.7	131.6	214.4	267.6	171.6	249.3	183.8	196.8	158.8	296.7	187.1	137.2	125.3	169.9	78.0	193.9

Comparison with respect to England value



Hospital Admissions - Cause groups continued

Period	England	South West	Bath & NESom	Bournemouth	Bristol	Cheltenham	Christchurch	Cornwall	Cotswold	East Devon	East Dorset	Exeter	Forest Dean	Gloucester	I of Scilly	Mendip	Mid Devon	North Devon	North Dorset	N Somerset	Plymouth	Poole	Purbeck	Sedgemoor	S Gloucs	South Hams	S Somerset	Stroud	Swindon	Taunton Dine	Teignbridge	Tewkesbury	Torbay	Torridge	West Devon	West Dorset	W Somerset	Weymouth Poind	Wiltshire		
30	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)	2013/14	176.5	194.1	115.6	214.3	182.3	291.0	206.2	167.9	216.5	272.7	119.1	265.9	189.6	250.5	- *	136.3	241.7	217.3	92.0	193.3	168.8	84.7	72.7	167.2	193.3	205.1	284.2	295.4	380.5	215.1	191.4	257.2	262.9	182.1	207.2	113.6	268.5	78.9	145.8
31	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)	2013/14	1049	919	862	1175	1108	851	1187	887	746	550	1010	641	755	1011	852	939	608	976	843	1013	1149	1055	976	1059	978	808	977	750	1023	980	736	806	851	1000	787	667	935	829	904
32	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)	2013/14	1524	1351	1299	1798	1581	1338	1800	1289	1091	852	1581	980	1140	1498	1175	1393	866	1455	1240	1454	1605	1542	1463	1533	1472	1174	1433	1125	1455	1482	1098	1220	1210	1500	1170	1004	1367	1230	1301
33	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)	2013/14	673	571	515	661	738	470	703	557	475	307	539	394	436	624	516	569	394	595	524	661	784	669	582	673	568	501	602	455	674	574	449	478	562	582	465	401	604	500	582
34	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)	2013/14	394	355	362	612	581	377	402	359	191	328	195	563	202	417	250	226	310	491	208	332	356	296	314	334	356	262	254	273	302	358	358	263	616	396	243	274	246	525	242
35	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)	2013/14	579	508	512	856	890	519	492	506	264	415	262	852	292	636	428	319	414	718	251	472	542	412	450	501	496	443	356	372	425	520	523	353	933	506	372	379	353	694	348
36	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)	2013/14	218	209	222	368	278	247	325	223	124	247	132	298	114	208	- *	139	213	276	168	200	179	187	184	178	223	98	156	181	180	208	207	179	322	295	122	175	148	359	141
37	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)	2013/14	105.3	95.1	74.2	117.4	134.8	90.9	68.8	133.8	70.4	55.9	39.0	129.5	65.8	71.2	0.0	78.8	112.2	101.3	41.7	142.6	140.5	132.3	96.9	106.1	58.2	85.6	65.4	48.1	73.0	60.2	91.6	71.1	130.6	81.1	116.7	38.7	91.0	87.8	79.7
38	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)	2013/14	147.1	137.8	88.8	171.3	216.4	133.8	92.1	211.2	88.5	61.4	47.3	183.0	86.0	94.7	0.0	95.3	152.5	149.9	61.1	215.8	211.4	186.8	121.9	152.9	81.2	156.5	84.1	52.0	99.2	82.0	127.0	99.2	181.9	120.3	184.4	54.9	140.2	120.9	115.9
39	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)	2013/14	65.8	54.8	60.6	62.3	55.4	49.8	49.1	61.6	53.8	51.9	30.7	78.5	46.6	48.6	0.0	63.4	73.3	56.0	24.2	72.9	74.0	81.0	74.0	61.1	35.8	22.7	47.6	44.2	47.5	40.3	59.5	45.3	82.0	44.0	49.0	24.1	47.7	56.5	45.4
40	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)	2013/14	150.7	160.9	102.3	171.0	148.4	248.6	210.9	162.7	223.5	196.1	104.9	179.3	182.6	259.6	290.3	121.4	192.0	169.3	76.4	141.8	162.9	84.7	94.4	170.6	132.1	185.8	217.7	245.2	180.0	177.6	168.4	225.3	245.8	180.4	155.5	99.4	197.8	55.3	120.3
41	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)	2013/14	154.7	161.8	128.4	160.1	169.4	212.1	223.4	177.7	233.7	162.6	115.9	149.7	164.5	264.3	550.5	142.1	199.7	145.7	79.0	113.5	165.9	109.1	138.7	186.6	113.2	186.2	208.2	203.1	147.1	163.2	174.9	193.2	270.9	196.0	138.8	113.7	149.0	50.3	141.4
42	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)	2013/14	149.3	162.1	80.4	184.3	130.0	287.4	205.0	150.3	216.0	227.5	96.4	209.4	198.0	258.9	- **	102.5	185.0	192.6	75.5	170.2	161.0	63.0	53.2	157.5	151.2	186.0	230.5	290.8	215.8	192.4	162.2	259.6	224.5	165.7	174.7	87.1	241.3	60.3	102.1
43	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)	2013/14	141.8	139.8	133.2	127.4	169.1	112.8	124.9	157.0	110.4	139.4	130.9	167.8	119.8	127.4	- **	145.3	145.4	153.9	150.9	147.2	161.5	135.3	145.0	138.7	133.5	141.1	141.2	109.1	103.2	145.0	151.8	120.2	161.0	143.5	138.6	124.6	141.3	148.6	136.9

Comparison with respect to England value Better Similar Worse Not compared

Note: * - Disclosure control applied

Exeter

Hospital Admissions - Cause groups continued

Period	England	South West	Bath & NESom	Bournemouth	Bristol	Cheltenham	Christchurch	Cornwall	Cotswold	East Devon	East Dorset	Exeter	Forest Dean	Gloucester	I of Scilly	Mendip	Mid Devon	North Devon	North Dorset	N Somerset	Plymouth	Poole	Purbeck	Sedgemoor	S Gloucs	South Hams	S Somerset	Stroud	Swindon	Taunton Dine	Teignbridge	Tewkesbury	Torbay	Torridge	West Devon	West Dorset	W Somerset	Weymouth Pond	Wiltshire
44 10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)	2013/14 215.2	210.7	204.9	189.0	257.0	168.5	194.8	234.8	162.7	212.1	200.1	260.0	186.8	196.5	- *	222.4	215.9	229.9	221.5	220.6	247.9	209.3	222.0	207.0	200.0	217.7	208.5	166.9	151.7	216.9	229.6	184.5	242.6	219.6	204.2	185.9	217.5	222.1	204.1
45 10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)	2013/14 74.2	74.1	68.2	67.2	86.5	61.6	60.3	86.0	63.6	71.7	66.2	86.0	55.6	62.2	- *	75.4	80.3	84.1	84.1	80.6	80.8	65.7	70.1	77.1	72.1	69.4	78.0	54.0	57.3	79.8	81.5	61.0	87.2	73.0	76.3	69.3	73.1	77.1	74.3
46 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)	2013/14 87	58	74	111	77	70	53	63	24	62	34	107	30	92	0	44	61	98	38	57	48	50	56	60	37	40	50	57	42	36	50	44	103	71	64	42	35	101	34
47 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)	2013/14 124	78	94	159	109	87	56	84	34	71	53	154	40	149	0	52	80	144	51	74	65	59	72	83	57	66	63	52	51	50	73	57	134	80	96	55	42	132	45
48 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)	2013/14 52	39	54	60	45	55	50	42	16	54	17	61	19	38	0	37	44	53	24	40	31	41	43	38	18	16	37	63	33	23	28	32	73	62	34	32	- *	72	24
49 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)	2013/14 58.6	74.2	104.0	30.2	81.5	86.0	26.7	88.0	53.8	73.8	34.5	80.6	54.8	107.6	0.0	94.8	71.7	84.7	58.2	81.2	80.8	62.1	66.9	80.6	62.5	38.3	81.2	83.3	69.0	88.3	51.3	63.5	77.0	97.4	48.6	69.1	75.2	96.7	76.1
50 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)	2013/14 52.0	58.6	82.9	22.5	68.9	59.7	- *	66.5	47.7	58.0	25.7	76.2	78.2	92.2	0.0	53.3	53.6	75.5	44.6	71.6	65.0	54.3	34.3	75.0	44.0	26.6	53.1	56.5	66.3	73.2	39.4	26.3	65.7	81.1	41.1	37.7	88.6	87.3	58.2
51 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)	2013/14 65.4	89.9	125.4	38.1	94.0	112.9	50.0	109.1	59.9	89.1	43.2	86.0	30.8	123.6	0.0	135.0	89.9	95.2	73.3	90.6	97.2	70.4	102.2	86.8	80.9	48.3	109.3	111.1	72.5	104.9	62.5	100.3	88.6	114.0	57.9	99.5	65.5	107.1	94.2

Other Impacts

52 11.01 - Claimants of benefits due to alcoholism	2014 131.0	144.7	115.1	344.2	263.7	135.7	81.1	169.8	41.4	70.2	21.8	147.2	82.1	166.0	- x	108.5	88.4	187.9	75.6	253.8	212.0	125.1	79.3	116.8	78.1	42.8	85.5	119.3	109.7	90.8	98.4	20.2	242.6	109.7	33.0	111.6	55.5	236.2	77.0
--	------------	-------	-------	-------	-------	-------	------	-------	------	------	------	--------------	------	-------	-----	-------	------	-------	------	-------	-------	-------	------	-------	------	------	------	-------	-------	------	------	------	-------	-------	------	-------	------	-------	------

Comparison with respect to England value




Note: * - Disclosure control applied, x - Value Missing


Bar Charts

Mortality


1.01 - Months of life lost due to alcohol (Male)




1.01 - Months of life lost due to alcohol (Female)




2.01 - Alcohol-specific mortality (Persons)




2.01 - Alcohol-specific mortality (Male)




2.01 - Alcohol-specific mortality (Female)




3.01 - Mortality from chronic liver disease (Persons)




3.01 - Mortality from chronic liver disease (Male)




3.01 - Mortality from chronic liver disease (Female)



4.01 - Alcohol-related mortality (Persons)



4.01 - Alcohol-related mortality (Male)




Key South West LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: + Better + Similar + Worse

Exeter

Mortality continued


4.01 - Alcohol-related mortality (Female)




Key South West LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
Other LAs: ■ Better ■ Similar ■ Worse

Hospital Admissions


5.01 - Alcohol-specific hospital admission - under 18s




6.01 - Alcohol-specific hospital admission (Persons)




6.01 - Alcohol-specific hospital admission (Male)




6.01 - Alcohol-specific hospital admission (Female)




7.01 - Alcohol-related hospital admission (Broad) (Persons)




7.01 - Alcohol-related hospital admission (Broad) (Male)




7.01 - Alcohol-related hospital admission (Broad) (Female)




8.01 - Alcohol-related hospital admission (Narrow) (Persons)



8.01 - Alcohol-related hospital admission (Narrow) (Male)



8.01 - Alcohol-related hospital admission (Narrow) (Female)




Key South West LAs: ■ Better ■ Similar ■ Worse — England value and confidence interval
 Other LAs: + Better + Similar + Worse


Exeter

Hospital Admissions continued


9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)



10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)




Key South West LAs: ■ Better ■ Similar ■ Worse — England value and confidence interval
 Other LAs: + Better + Similar + Worse

Hospital Admissions - Cause groups


9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)



9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)



9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)




Key South West LAs: ■ Better ■ Similar ■ Worse ▬ England value and confidence interval
 Other LAs: ▬ Better ▬ Similar ▬ Worse


Exeter

Hospital Admissions - Cause groups continued


9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)




9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)



10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)




10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)




Key South West LAs: ■ Better ■ Similar ■ Worse — England value and confidence interval
 Other LAs: + Better + Similar + Worse

Hospital Admissions - Cause groups continued


10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)




10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)




Key South West LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse

Exeter

Other Impacts

11.01 - Claimants of benefits due to alcoholism




Key South West LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
Other LAs: ■ Better ■ Similar ■ Worse


Trends

Mortality


1.01 - Months of life lost due to alcohol (Male)




1.01 - Months of life lost due to alcohol (Female)




2.01 - Alcohol-specific mortality (Persons)




2.01 - Alcohol-specific mortality (Male)




2.01 - Alcohol-specific mortality (Female)




3.01 - Mortality from chronic liver disease (Persons)




3.01 - Mortality from chronic liver disease (Male)




3.01 - Mortality from chronic liver disease (Female)



4.01 - Alcohol-related mortality (Persons)



4.01 - Alcohol-related mortality (Male)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested

Exeter


Mortality continued

4.01 - Alcohol-related mortality (Female)




Hospital Admissions


5.01 - Alcohol-specific hospital admission - under 18s




6.01 - Alcohol-specific hospital admission (Persons)




6.01 - Alcohol-specific hospital admission (Male)




6.01 - Alcohol-specific hospital admission (Female)




7.01 - Alcohol-related hospital admission (Broad) (Persons)




7.01 - Alcohol-related hospital admission (Broad) (Male)




7.01 - Alcohol-related hospital admission (Broad) (Female)




8.01 - Alcohol-related hospital admission (Narrow) (Persons)



8.01 - Alcohol-related hospital admission (Narrow) (Male)



8.01 - Alcohol-related hospital admission (Narrow) (Female)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested


Exeter

Hospital Admissions continued


9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)



10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested

Hospital Admissions - Cause groups


9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)



9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)



9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)




Key ●●● England ● Significantly worse ○ Not significantly different ● Significantly better ○ Significance not tested


Exeter

Hospital Admissions - Cause groups continued


9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)




9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)



10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)




10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested

Hospital Admissions - Cause groups continued


10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)

