Complaint Dat Odour Date Address Details

South West Water Sewage Treatment Works Complaints 31 August to 13 September

WK/201604567

31/08/2016 30/08/2016 Newport Park Sewage odour noted on Bridge Road & Lower Wear Road at 20:00.

Case Actions:

WK/201604645

01/09/2016 01/09/2016 Countess Wear Complaint regarding South West Labs

Road

Case Actions:

Phone call received Call regarding smell from SW Labs - the smell isn't bad today but she wanted to make us aware that it was

very bad yesterday and has been noticeable for the last 3/4 weeks. I advised I would pass onto an officer who

would contact her. (non urgent so wait for SR return)

WK/201604651

Case Actions:

Phone call received Call received from complainant regarding extremely bad sewage smell on 30/08/2016 evening and

31/08/2016. Complainant explained he arrived home yesterday at 10pm and the smell was extremely strong he went out at 11:30pm and it was even worse, he is going to see what the smell is like tonight and if it is bad he will give us a call. Complainant said SWW might have found another pump but the council has ownership,

not sure if this is true or if this is causing problem. Please call Complainant back.

WK/201604688

02/09/2016 02/09/2016 Reed Walk Smell from sewage works

Case Actions:

E-Mail Report details: -

Offender: -

Issue type : - Unpleasant Odour Issue location: - Countess wear Issue details : - Sewage smell

Issue time : - 12:00 Issue date : - All time

Witness: -

Comments: - Stinky sewage smell in countess wear

E-Mail

WK/201604695

02/09/2016 02/09/2016 Newport Park Sewage smell

Case Actions:

Phone call received Bad odour over the last 3 nights. Complainant has had to keep all windows closed over the past 3 nights, on

Tuesday it started at approx. 8pm, he isn't sure about Wednesday evening but yesterday it started at 5:30pm.

WK/201604779

September) & Monday 5 September (has returned home now (16.00) &

odour is blowing up through Newport park.

Case Actions:

WK/201604887

07/09/2016 06/09/2016 Locksley Close Odour noticed upon return home at 15:00. SWW say Clearflow are

working on pipes but there hasn't been a text from the proactive team.

Complaint Dat Odour Date Address Details

Case Actions:

WK/201604902

Case Actions:

Case Comments Spoke to complainant. Odour was very bad last night (Wed 7 September) at 21.45.

This morning it's coming from the pumping station opposite Plants Galore AND the works (both sites). She

hasn't noticed whether the pumping station has been emptied today.

Has lived on Moonridge for 3 years; constant issue (but more noticeable in the summer). Gets into her

property.

EPSU Officer Visit Visited site approx. 13:00. Odour apparent on Topsham Road in vicinity of Plants Galore nursery. Wind

gusty. No odour from Bloor sewage pumping station.

Called on complainant but not at home.

E-Mail

WK/201604917

08/09/2016 08/09/2016 Newport Park Smell from sewage works.

Case Actions:

EPSU Officer Visit Visited site approx. 13.00. Sewage odour apparent on Topsham Road (in vicinity of the nursery). Wind gusty.

Spoke to complainant - advised that SWW Liaison Group is next week; odour survey of site commissioned.

Complainant says that odour has been an issue for the past 3 years. Investment in plant (early 2014) has, in

his opinion, not alleviated the problem.

Phone call received Tuesday approx. 9.30am on bus going in to Higher Wear Road - especially by shops, last night 10-11pm and

this morning - smell bad at all times especially Tues around the shops.

WK/201604943

09/09/2016 08/09/2016 Wear Barton Road Odour this morning (10.30) & now (14:15)

Case Actions:

EPSU Officer Visit Odour monitoring along Topsham Road (in response to complaints from Newport Park). Odour apparent in

the vicinity of Plants Galore. Wind gusty.